

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	991329	keyword word (key adj3 word)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 07:30
L2	7007780	(command adj3 list) command direction control directive instruction	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 07:31
L3	6656717	select\$3 rout\$4 forward\$3 search\$3 query\$3 elect\$3 choos\$3 designat\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 07:40
L4	4858287	convert\$4 chang\$3 format conversion transform\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 07:43
L5	1234170	2 near10 3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 07:45
L6	28553	(1 near10 3) same 4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 07:45
L7	12819	(1 near10 3) with 4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 07:45
L8	10677	(1 near10 3) near10 4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:19
L9	3482	(1 near10 3) near10 4 same 2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:25
L10	1622	9 and interface	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:26
L12	1216	10 and (@ad<"20000918" or @rlad<"20000918")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:28
L13	83755	1 near3 3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:27

L14	6305	(1 near3 3) same 2 same 4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:28
L15	823	(1 near3 3) near10 2 near10 4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:28
L16	569	15 and (@ad<"20000918" or @rlad<"20000918")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:32
S1	5	@ad<"20000918" and (keyword or (key adj3 word\$3)) same search same (command near5 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 07:28
S2	6	@ad<"20000918" and (keyword or (key adj3 word\$3)) same search same (command near10 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:51
S3	129	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5 or list) same search same (command adj5 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29
S4	4	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5 or list) same search same (command adj5 list\$3) same keyword	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:54
S5	2602	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5 or list) same (command adj5 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:54
S6	434	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5) same (command adj5 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:54
S7	64	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5) same (command adj5 list\$3) and (keyword or (key adj3 word\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29
S8	0	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5) same (command adj5 list\$3) and (keyword or (key adj3 word\$3)) and (download\$3 same (command adj5 list\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 08:55
S9	27	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5) same (command adj2 list\$3) and (keyword or (key adj3 word\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29
S15	96	@ad<"20000918" and (database\$2 or storag\$3 or repositor\$5) near10(command adj2 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29

S16	4	@ad<"20000918" and (database\$2 or storag\$3 or repotor\$5) near10 (command adj2 list\$3) and keyword\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:40
S17	2	@ad<"20000918" and ("707" or "709").clas. and (keyword or (key adj3 word\$3)) same search same (command near5 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29
S18	54	@ad<"20000918" and ("707" or "709").clas. and (database\$2 or storag\$3 or repotor\$5 or list) same search same (command adj5 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29
S19	30	@ad<"20000918" and ("707" or "709").clas. and (database\$2 or storag\$3 or repotor\$5) same (command adj5 list\$3) and (keyword or (key adj3 word\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29
S20	17	@ad<"20000918" and ("707" or "709").clas. and (database\$2 or storag\$3 or repotor\$5) same (command adj2 list\$3) and (keyword or (key adj3 word\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:29
S21	34	@ad<"20000918" and ("707" or "709").clas. and (database\$2 or storag\$3 or repotor\$5) near10(command adj2 list\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 07:56
S22	2	"6495948".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 07:56